

SUMMIT™ PUMP, Inc

FAMILY OF PUMP PRODUCTS



PROVIDING QUALITY PUMPING PRODUCTS
AT A FAIR MARKET PRICE.

YOUR BEST VALUE SINCE 1982.

2196 ANSI

- ANSI B73.1 PROCESS PUMP
- REAR PULL OUT DESIGN
- EXTERNAL AXIAL IMPELLER ADJUSTMENT
- MAXIMUM INTERCHANGEABILITY
- HEAVY DUTY SHAFT & BEARINGS
- RIGID FRAME FOOT
- OPEN IMPELLER
- EXTRA LARGE OIL SUMP
- CAPACITIES TO 6,000 GPM
- HEADS TO 730 FEET
- TEMPERATURES TO 700°F




2796

- SELF-PRIMING PROCESS PUMP
- REAR PULL-OUT
- EXTERNAL AXIAL IMPELLER ADJUSTMENT
- OPEN IMPELLER
- CAPACITIES TO 1,250 GPM
- HEADS TO 400 FEET



2196LF

- LOW FLOW/HIGH HEAD PUMP
- RADIAL VANE IMPELLER WITH BALANCE HOLES
- INTERCHANGEABLE WITH EXISTING ANSI PUMPS
- CIRCULAR NON-EXPANDING CASE
- REDUCED SHAFT VIBRATION
- LOWER NPSHR
- LOWER SEAL CHAMBER PRESSURE
- EXTENDED MTBF ON THE PUMP AND MECHANICAL SEAL
- CAPACITIES TO 215 GPM
- HEADS TO 900 FEET




2196R

- RECESSED IMPELLER PUMP
- UTILIZES YOUR EXISTING 2196 POWER END AND ANSI BOLT PATTERN
- HANDLES FIBROUS AND SHEAR SENSITIVE MATERIALS
- MINIMIZES DEGRADATION OF SOLIDS
- AVAILABLE IN 7 DIFFERENT SIZES AND A VARIETY OF MATERIALS
- CAPACITIES TO 1,750 GPM
- HEADS TO 275 FEET



SHAFT KITS

- GROUND FINISH SHAFT & SLEEVE MINIMIZE RUNOUT
- SUB ASSEMBLY SIMPLIFIES MAINTENANCE & INVENTORY
- QUALITY SKF EXPLORER CLASS BEARINGS®
- BEARING ISOLATORS PROTECT YOUR PUMP
- FULLY INTERCHANGEABLE WITH EXISTING SUMMIT, DURCO™ AND GOULDS™ POWER ENDS



2175

- STOCK/PROCESS PUMP
- REAR PULL-OUT
- EFFICIENT PARTS INTERCHANGEABILITY
- SACRIFICIAL WEAR ITEMS
- DOUBLE WALL VOLUTE ON LARGER SIZES
- CAPACITIES TO 7,800 GPM
- HEADS TO 350 FEET



SUMMIT PUMP, Inc

CC & FM

- GENERAL SERVICE END SUCTION PUMP
- CLOSE COUPLED(CC) OR FRAME MOUNTED(FM)
- CAST IRON/BRONZE FITTED STANDARD
- 316SS WETTED PARTS OPTIONAL
- TYPE 1 MECHANICAL SEAL
- CAPACITIES TO 1,500 GPM
- HEADS TO 200 FEET



CLARK 3 ANSI PUMPS

- ANSI B73.1 PROCESS PUMP
- REVERSE VANE AND OPEN IMPELLERS
- BACK PULL OUT DESIGN
- INDEXED BEARING CARRIER FOR EXTERNAL IMPELLER ADJUSTMENT
- MAXIMUM INTERCHANGEABILITY
- HEAVY DUTY SHAFT
- QUALITY SKF EXPLORER CLASS BEARINGS®
- CAPACITIES TO 6,800 GPM
- HEADS TO 750 FEET
- TEMPERATURES TO 700°F



SN

- SELF-PRIMING, NON-CLOGGING PUMP
- CAST IRON STANDARD
- STAINLESS WETTED PARTS OPTIONAL
- MECHANICAL SEAL STANDARD
- 2" THRU 10" SIZES AVAILABLE
- CAPACITIES TO 3,400 GPM
- HEADS TO 145 FEET




PROGRESSING CAVITY

- MODELS FEATURE EITHER A OPEN PIN DESIGN FOR EASE OF MAINTENANCE AND LOW COST OR A SEALED UNIVERSAL JOINT TO HANDLE THRUST AND RADIAL LOADS IN THE TOUGHEST APPLICATIONS
- CAPACITIES UP TO 4500 GPM
- PRESSURES TO 1500 PSI



DSR

- HORIZONTAL SPLIT CASE PUMP
- SINGLE STAGE
- HIGH EFFICIENCY AND LOW NPSHR
- CLOSED IMPELLER
- PACKED BOX STANDARD
- STAINLESS WETTED PARTS OPTIONAL
- CAPACITIES TO 12,000GPM
- HEADS TO 400 FEET



SP

- METAL OR RUBBER LINED
- HEAVY DUTY HORIZONTAL SLURRY PUMP
- DESIGNED TO PUMP HIGHLY ABRASIVE, HIGH DENSITY SLURRIES
- CAPACITIES TO 4,000 GPM
- HEADS TO 240 FEET



BASEPLATES

- CAST IRON
- POLYMER CONCRETE
- FABRICATED STEEL



GUARDS

- BARREL TYPE COUPLING GUARDS
- FRAME ADAPTOR GUARDS
- CARBON STEEL CONSTRUCTION
- POWDER COATED SAFETY ORANGE
- INCLUDES END PLATES, SHROUDS, NUTS, BOLTS, WASHERS AND WARNING LABEL
- OTHER MATERIALS ALSO AVAILABLE



LANTERN RINGS

- THERMAL FORMED: FITS YOUR STUFFING BOX BETTER
- EASY TO INSTALL
- ONE RING FITS MULTIPLE STUFFING BOXES; THAT MEANS FEWER ORDERS, LOWER INVENTORY, AND FEWER OUTAGES
- VIRGIN PTFE TEMPERATURE TO 500° F, PH RANGE FROM 0-14



PARTS TO FIT

- MANY REPLACEMENT PARTS AVAILABLE FOR THE FOLLOWING PUMP LINES:
 - ALLIS CHALMERS®
 - AHLSTROM®
 - ALLWEILER®
 - ASH®
 - FLOWSERVE/DURCO®
 - DEAN®
 - GIW®
 - GORMAN RUPP®
 - GOULDS®
 - GOULDS MORRIS®
 - MOYNO®
 - NETZSCH®
 - SEEPLEX®
 - SULZER®
 - TARBY®
 - WARREN®
 - WEMCO®
 - WORTHINGTON®



LABYRINTH SEALS

- BEARING ISOLATORS ARE MADE OF HIGH QUALITY BRONZE AND/OR STAINLESS STEEL
- DESIGNED TO LAST FOR AT LEAST 100,000 PUMPING HOURS.



For more information on our products, contact your local distributor.



www.SUMMITPUMP.com

OEM NAMES ARE FOR REFERENCE ONLY AND IN NO WAY INDICATE THAT WE ARE SUPPLYING OEM PARTS OR IN ANY WAY REPRESENT THAT OEM.